



MODEL	ECOSYS P2235DW	ECOSYS P2040DW	ECOSYS P3145DN
FUNCTION	Mono Printer	Mono Printer	Mono Printer
PRINT SPEED	37 Letter / 30 Legal	42 Letter / 34 Legal	47 Letter / 38 Legal
RESOLUTION	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
FIRST PAGE OUT SPEED	6.8 sec	6.4 sec	5.3 sec
MAX MONTHLY DUTY CYCLE	50,000 pages	80,000 pages	150,000 pages
STANDARD / MAX MEMORY	256 MB / 256 MB	256 MB / 256 MB	512MB / 2.5 GB
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), PDF, XPS, PDF Direct Print, OpenXPS, TIFF, JPEG	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3 (PS3), PDF, XPS, PDF Direct Print, OpenXPS, TIFF, JPEG, Apple Airprint	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3, AES, PDF Direct Print, XPS, Open XPS (TIFF/JPEG Direct Print)
CONNECTIVITY / INTERFACE(s)	Standard 10/100/1000BaseTX, Wireless LAN IEEE 802.11b/g/n, High Speed USB 2.0, USB-Host	Standard 10/100/1000BaseTX Network Interface, Wireless LAN IEEE 802.11b/g/n, Full-Speed USB v2.0, USB-Host	10/100/1000BaseTX, 1 USB 2.0 & 2 USB 2.0 Host (Hi-Speed USB), 1 Expansion Slot
STANDARD PAPER SOURCE	250 x 1, 50 Sheet MPT	250 x 1, 50 Sheet MPT	500 x 1, 100 Sheet MPT
MAXIMUM PAPER	850	850	2,600
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-1100 250 Sheet Paper Drawer (up to 2 additional) Thin Print (UG-33)	PF-1100 250 Sheet Paper Drawer (up to 2 additional) Thin Print (UG-33) Security Card Authentication Kit(B)	PF-3110 500 Sheet Paper Feeder (max 4) Data Security Kit (E) Card Authentication Kit (B) IB-36 Wireless LAN IB-51 Wireless LAN IB-50 Gigabit NIC IB-32B Parallel Interface HD-6 / HD-7
TONER YIELD – 5%	3,000 Prints (TK-1152)	7,200 Prints (TK1162)	12,500 Prints (TK3162)
MAINTENANCE KIT CYCLE	100,000 Prints	100,000 Prints	300,000 Prints
SIZE AND WEIGHT	14.8" x 15.5" x 10.7" – 30.9 lbs.	14.8" x 15.5" x 10.7" – 30.9 lbs.	15" x 16.2" x 12.1" 31 lbs.
WARRANTY	1 st Year Return to Depot 2 nd and 3 rd Year Parts Only	1 st Year Return to Depot 2 nd and 3 rd Year Parts Only	1 st Year Parts & Labor 2 nd & 3 rd Year Parts Only



MODEL	ECOSYS P3050DN/P3055DN	ECOSYS P3150DN/P3155DN/P3260DN	FS-9530DN
FUNCTION	Mono Printer	Mono Printer	Mono Printer
PRINT SPEED	52 Letter / 42 Legal – P3050DN 57 Letter / 46 Legal – P3055DN	52 Letter / 42 Legal – P3150DN 57 Letter / 46 Legal – P3155DN 62 Letter / 50 Legal – P3260DN	51 Letter, 31 Legal, 26 Ledger
RESOLUTION	Up to 1200 x 1200 dpi	Up to 1800 x 600 dpi	Up to 1800 x 600 dpi
FIRST PAGE OUT SPEED	6.2 sec (P3050dn) 6.6 sec (P3055DN)	5.4 sec (P3150dn) 4.5 sec (P3155dn) 4.5 sec (P3260dn)	4 sec
MAX MONTHLY DUTY CYCLE	250,000 pages – P3050DN 275,000 pages – P3055DN	200,000 pages – P3150DN 250,000 pages – P3155DN 300,000 pages – P3260DN	300,000 pages
STANDARD / MAX MEMORY	512 MB / 2.5 GB Max	512 MB / 2.5 GB Max	128 MB / 640 MB Max
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL5c/PCLXL), KPDL3 (PDF Direct Print, AES), XPS, Open XPS (TIFF/JPEG Direct Print), IBM Proprinter, Line printer, Apple Airprint	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3, AES, PDF Direct Print, XPS, Open XPS (TIFF/JPEG Direct Print)	PRESCRIBE, PCL6 (PCL XL, PCL 5e), KPDL3 (PS3), IBM ProPrinter X24, Epson LQ850, Line Printer
CONNECTIVITY / INTERFACE(s)	Standard 10/100/1000BaseTX, High Speed USB 2.0, USB-Host x2	10/100/1000BaseTX, 1 USB 2.0 & 2 USB 2.0 Host (Hi-Speed USB), 1 Expansion Slot	Standard Bi-Directional IEEE 1284 Parallel, Full-Speed USB v2.0, Standard 10/100BaseTX Network Interface, USB Host
STANDARD PAPER SOURCE	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 2, 200 Sheet MPT
MAXIMUM PAPER	2,600	2,600	4,200
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-320 500 Sheet Paper Feeder (max 4), Bulk Feeder (PF-3100), Data Security Kit (E) Card Authentication Kit (B) IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC IB-32B Parallel Interface HD-6 / HD-7	PF-3110 500 Sheet Paper Feed (max 4) Data Security Kit (E) Card Authentication Kit (B) IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC IB-32B Parallel Interface HD-6 / HD-7	Large Capacity Tray (PF-750), Finisher (DF-710), Simple Finisher (DF-730), Booklet Folder (BF-710), Punch Unit (PH-5A), Multi Tray Unit (MT-710), HD-ME5 Hard Drive Unit, IB-23 Secure NIC
TONER YIELD – 5%	15,500 Prints – P3050DN (TK3172) 21,000 Prints – P3055DN (TK3182)	15,500 Prints – P3150DN (TK3172) 21,000 Prints – P3155DN (TK3182) 25,000 Prints – P3260DN (TK3192)	40,000 Prints (TK712)
MAINTENANCE KIT CYCLE	500,000 Prints	500,000 Prints	500,000 Prints
SIZE AND WEIGHT	14.9" x 16.1" x 12.6" – 34.2 lbs.	15" x 16.2" x 13.5" – 34lbs. – P3150DN/P3155DN 16.4" x 16.2" x 14.3" – 34.2lbs. P3260DN	24" x 25" x 24" - 150 lbs.
WARRANTY	1 st Year Onsite 2 nd and 3 rd Year Parts Only	1 st year Onsite 2 nd and 3 rd Year Parts Only	1 st Year Onsite 2 nd and 3 rd Year Parts Only







MODEL	ECOSYS P5021cdw	ECOSYS P5026cdw	ECOSYS P6230cdn
FUNCTION	Color Printer	Color Printer	Color Printer
PRINT SPEED	22/22 Letter, 18/18 Legal	27/27 Letter, 26/26 Legal	32/32 Letter, 26/26 Legal
RESOLUTION	Fine 1200 dpi 600 x 600 dpi	Fine 1200 dpi 600 x 600 dpi	Fine 1200 dpi 600 x 600 dpi
FIRST PAGE OUT SPEED	Black 11 sec, Color 12.5 sec	Black 9.5 sec, Color 10.5 sec	Black 6 sec, Color 7 sec
MAX MONTHLY DUTY CYCLE	65,000 pages	65,000 pages	100,000 pages
STANDARD / MAX MEMORY	512 MB	512 MB	1 GB
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL5c/PCL-XL), KPDL3, Supporting AES, PDF Direct Print, XPS/OpenXPS Direct Print, Apple Airprint	PRESCRIBE, PCL6 (PCL5c/PCL-XL), KPDL3, Supporting AES, PDF Direct Print, XPS/OpenXPS Direct Print, Apple Airprint	PRESCRIBE, PCL6 (PCLXL, PCL5c), KPDL3 (PS3), XPS
CONNECTIVITY / INTERFACE(s)	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface	Standard 10/100BaseTX/1000BaseTX, Hi- Speed USB 2.0
STANDARD PAPER SOURCE	250 x 1, 50 Sheet MPT	250 x 1, 50 Sheet MPT	500 x 1, 100 Sheet MPT
MAXIMUM PAPER	550	550	2,100
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF- 5110: 250 Sheet Drawer, SD Card, Security Card Authentication Kit (B), Print Management ThinPrint (UG-33)	PF- 5110: 250 Sheet Drawer, SD Card, Security Card Authentication Kit (B), Print Management ThinPrint (UG-33)	PF- 5100: 500 Sheet Drawer, SD Card, Security Card Authentication Kit (B), Print Management ThinPrint (UG-33) IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC
TONER YIELD – 5%	Black – 1,200 Prints (TK5222K) Colors – 1,200 Prints (TK5222CMY)	Black – 4,000 Prints (TK5242K) Colors – 3,000 Prints (TK5242CMY)	Black – 8,000 Prints (TK5272K) Colors – 6,000 Prints (TK5272CMY)
MAINTENANCE KIT CYCLE	100,000 Prints	100,000 Prints	200,000 Prints
SIZE AND WEIGHT	16.2" x 16.2" x 12.9" – 46.3 lbs.	16.2" x 16.2" x 12.9" – 46.3 lbs.	15.4" x 21" x 16.2" – 80.5 lbs.
WARRANTY	1 st Year Onsite 2 nd and 3 rd Year Parts Only	1 st Year Onsite 2 nd and 3 rd Year Parts Only	1 st Year Onsite 2 nd and 3 rd Year Parts Only



MODEL	ECOSYS P6235cdn	ECOSYS P7240cdn	ECOSYS P8060cdn
FUNCTION	Color Printer	Color Printer	Color Printer
PRINT SPEED	37/37 Letter, 30/30 Legal	42/42 Letter, 34/34 Legal	60/55 Letter, 36/33 Legal, 30/27 Ledger
RESOLUTION	Fine 1200 dpi 600 x 600 dpi	Fine 1200 dpi 600 x 600 dpi	600 x 600 dpi
FIRST PAGE OUT SPEED	Black 6.5 sec, Color 7.5 sec	Black 5.5 sec, Color 6.5 sec	Black 3.8 sec, Color 5.1 sec
MAX MONTHLY DUTY CYCLE	100,000 pages	150,000 pages	250,000 pages
STANDARD / MAX MEMORY	1 GB / 3 GB Max	1 GB / 3 GB Max	4 GB RAM / 8 GB SSD / 320 GB HDD Standard
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCLXL, PCL5c), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCLXL, PCL5c), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, KPDL3 (PS3), PCL 6 (PCL 5c, PCL XL), XPS/OpenXPS
CONNECTIVITY / INTERFACE(s)	Standard: 10/100BaseTX/1000BaseTX, Hi-Speed USB 2.0	Standard: 10/100BaseTX/1000BaseTX, Hi-Speed USB 2.0	Standard 10/100/1000BaseTX, High Speed USB v2.0
STANDARD PAPER SOURCE	500 x 1 , 100 Sheet MPT	500 x 1 , 100 Sheet MPT	500 x 2, 150 Sheet MPT
MAXIMUM PAPER	2,100	2,100	7,150
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-5100 Paper Drawer (max 3), HD-6 32 GB SSD Hard Drive, HD-7 128GB SSD Hard Drive, Data Security Kit (E), Card Authentication Kit (B), SD Card IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC	PF-5100 Paper Drawer (max 3), HD-6 32 GB SSD Hard Drive, HD-7 128GB SSD Hard Drive, Data Security Kit (E), Card Authentication Kit (B), SD Card IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC	PF-7100 Dual 500 Sheet Trays, PF-7110 Dual 1,500 Sheet Trays, PF-7120 3,000 Sheet LCT, DF-770(B) 1,000 Sheet Finisher, DF-7110 4,000 Sheet Finisher, MT-730(B) Mailbox Unit, PH-7A Hole Punch Unit, BF-730 Booklet Folder Unit, Data Security Kit (E), Card Authentication Kit (B), IB-51 Wireless NIC, IB-50 Gigabit NIC
TONER YIELD – 5%	Black – 13,000 Prints (TK5282K) Colors – 11,000 Prints (TK5282CMY)	Black - 17,000 Prints (TK5292K) Colors –13,000 Prints (TK5292CMY)	Black - 30,000 Prints (TK8802K) Colors – 20,000 Prints (TK8802CMY)
MAINTENANCE KIT CYCLE	200,000 Prints	300,000 Prints	600,000 Prints – Drum/Dev 600,000 Prints – Fuser
SIZE AND WEIGHT	15.4" x 21" x 18.5" – 83.8 lbs.	15.4" x 21" x 18.5" – 88.2 lbs.	23.7" x 26.2" x 31.1" - 196 lbs.
WARRANTY	1 st Year Onsite 2 nd and 3 rd Year Parts Only	1 st Year Onsite 2 nd and 3 rd Year Parts Only	1 st Year Onsite 2 nd and 3 rd Year Parts Only



MODEL	ECOSYS M2635DW	ECOSYS M2040DN	ECOSYS M2540dw	ECOSYS M2640IDW
FUNCTION	Print / Copy / Scan / Fax	Print/Scan/Copy	Print / Copy / Scan / Fax	Print / Copy / Scan / Fax
PRINT SPEED	37 Letter, 30 Legal	42 Letter/ 34 Legal	42 Letter, 34 Legal	42 Letter, 34 Legal
RESOLUTION	Fine 1200 600 x 600 dpi	Fine 1200 dpi 600 x 600 dpi	Fine 1200 600 x 600 dpi	Fine 1200 600 x 600 dpi
FIRST PAGE OUT SPEED	Print – 6.9 sec, Copy – 6.8 sec	Print – 6.4 sec, Copy – 6.4 sec	Print – 6.4 sec, Copy – 6.4 sec	Print – 6.4 sec, Copy – 6.4 sec
MAX MONTHLY DUTY CYCLE	20,000 pages	50,000 pages	50,000 pages	50,000 pages
STANDARD / MAX MEMORY	512 MB / 1.5 GB Max	512 MB / 1.5 GB Max	512 MB / 1.5 GB Max	512 MB / 1.5 GB Max
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3, PDF, XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3, PDF, XPS, OpenXPS, Apple Airprint	PRESCRIBE, PCL6 (PCL XL, PCL5e,PJL), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL XL, PCL5e), KPDL3, PDF, XPS, Apple Airprint
CONNECTIVITY / INTERFACE(s)	10/100BaseTX/1000BaseT, Hi-Speed USB 2.0, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct	Standard 10/100/1000BaseTX Network Interface, Hi-Speed USB 2.0, 1 USB Host	10/100BaseTX/1000BaseT, Hi-Speed USB 2.0, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct	10/100BaseTX/1000BaseT, Hi-Speed USB 2.0, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct
STANDARD PAPER SOURCE	250 x 1 , 100 Sheet MPT	250 x 1 , 100 Sheet MPT	250 x 1 , 100 Sheet MPT	250 x 1 , 100 Sheet MPT
MAXIMUM PAPER	850	850	850	850
DUPLEX	Standard	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-1100 250 Sheet Paper Drawer (up to two additional) UG-33 THIN PRINT	PF-1100 250 Sheet Paper Drawer (up to two additional)	PF-1100 250 Sheet Paper Drawer (up to two additional)	PF-1100 250 Sheet Paper Drawer (up to two additional), SD Card for HyPAS applications UG-33 THIN PRINT
TONER YIELD – 5%	3,000 Prints (TK1152)	7,200 Prints (TK1172)	7,200 Prints (TK1172)	7,200 Prints (TK1172)
MAINTENANCE KIT CYCLE	100,000 Prints	50,000 Prints	100,000 Prints	100,000 Prints
SIZE AND WEIGHT	18.7" x 16.2" x 17.2" – 41.9 lbs.	18.7" x 16.2" x 17.2" – 41.9 lbs.	18.7" x 16.2" x 17.2" – 41.9 lbs.	18.7" x 16.2" x 17.2" – 41.9 lbs.
WARRANTY	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only

				
MODEL	ECOSYS M3145idn	ECOSYS M3645idn	ECOSYS M3655idn/M3660idn	ECOSYS M3860IDN
FUNCTION	Print / Copy / Scan	Print / Copy / Scan / Fax	Print / Copy / Scan / Fax	Print / Copy / Scan / Fax
PRINT SPEED	47 Letter / 38 Legal	47 Letter, 38 Legal	57 Letter, 45 Legal – M3655idn 62 Letter, 50 Legal – M3660idn	62 Letter, 50 Legal
RESOLUTION	Up to 1800 x 600 dpi	Up to 1800 x 600 dpi	Up to 1800 x 600 dpi	Up to 1800 x 600 dpi
FIRST PAGE OUT SPEED	Print – 5.9 sec, Copy – 7 sec	Print – 5.9 sec, Copy – 7 sec	Print – 4.9 sec, Copy – 6 sec	Print – 4.5 sec, Copy – 6 sec
MAX MONTHLY DUTY CYCLE	150,000 pages	150,000 pages	250,000 pages – M3655idn 275,000 pages – M3660idn	300,000 pages
STANDARD / MAX MEMORY	1 GB / 3 GB Max	1 GB / 3 GB Max	1 GB / 3 GB Max	1 GB / 3 GB Max
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3 (AES, PDF Direct Print Support), XPS, OpenXPS (TIFF/JPEG Direct Print Support), IBM Proprinter, Line Print, Apple Airprint	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3 (AES, PDF Direct Print Support), XPS, OpenXPS (TIFF/JPEG Direct Print Support), IBM Proprinter, Line Print, Apple Airprint	PRESCRIBE, PCL6 (PCL XL, PCL5c), KPDL3 (PS3), XPS, Apple Airprint, OpenXPS	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3 (AES, PDF Direct Print Support), XPS, OpenXPS (TIFF/JPEG Direct Print Support), IBM Proprinter, Line Print
CONNECTIVITY / INTERFACE(s)	10/100/1000BaseTX, 1 High-Speed USB 2.0, 1 High-Speed USB 2.0 Host, 1 Expansion Slot	10/100/1000BaseTX, 1 High-Speed USB 2.0, 1 High-Speed USB 2.0 Host, 1 Expansion Slot	Standard 10/100/1000BaseTX Network Interface, 1 High-Speed USB 2.0 Host, 1 High-Speed USB 2.0	10/100/1000BaseTX, 1 High-Speed USB 2.0, 2 High-Speed USB 2.0 Host, 1 Expansion Slot
STANDARD PAPER SOURCE	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT
MAXIMUM PAPER	2,600	2,600	2,600	2,600
DUPLEX	Standard	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-3110 500 Sheet Paper Drawer (up to four additional), SD Card for HyPAS applications IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC	PF-3110 500 Sheet Paper Drawer (up to four additional), SD Card for HyPAS applications IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC	PF-320 500 Sheet Paper Drawer (up to four additional), SD Card for HyPAS applications IB-36 Wireless LAN IB-51 Wireless NIC IB-50 Gigabit NIC	PF-3110 500 Sheet Paper Feeder (max 4), MS-5100B Manual Stapler, PT-320 Face Up 250 Sheet Paper Tray IB-36 Wireless LAN IB-51 Wireless LAN IB-50 Dual Gigabit NIC
TONER YIELD – 5%	12,500 Prints (TK3162)	12,500 Prints (TK3162)	21,000 Prints – M3655idn (TK3182) 25,000 Prints – M3660idn (TK3192)	25,000 Prints (TK3192) 40,000 Prints (TK3202 - High Capacity Toner)
MAINTENANCE KIT CYCLE	300,000 Prints	300,000 Prints	500,000 Prints	500,000 Prints
SIZE AND WEIGHT	18.7" x 18.7" x 22.6" – 49.6 lbs.	18.7" x 17.9" x 22.6" – 49.6 lbs.	18.9" x 19.5" x 23.2" – 53.1 lbs.	19" x 19.5" x 24.1" – 54 lbs.
WARRANTY	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only



MODEL	ECOSYS M3860IDNF	ECOSYS M4125idn/M4132idn	CS-3212i
FUNCTION	Print / Scan / Copy / Fax / Standard Internal Finisher	Print / Copy / Scan	Print / Copy / Scan
PRINT SPEED	62 Letter / 50 Legal	25 Letter, 12 Legal – M4125idn 32 Letter, 17 Legal – M4132idn	32 Letter, 17 Legal
RESOLUTION	Up to 1800 x 600 dpi	600 x 600 dpi	Up to 1200 x 1200 dpi
FIRST PAGE OUT SPEED	Print – 4.5 sec, Copy – 6 sec	Print – 5.8 sec, Copy – 5.8 sec – M4125idn Print – 5.2 sec, Copy – 5.2sec – M4132idn	Print – 4.9 sec, Copy 4.3 sec
MAX MONTHLY DUTY CYCLE	300,000 pages	80,000 pages – M4125idn 100,000 pages – M4132idn	150,000 pages
STANDARD / MAX MEMORY	1 GB / 3 GB Max	1 GB / 3 GB Max	2 GB
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3 (AES, PDF Direct Print Support), XPS, OpenXPS (TIFF/JPEG Direct Print Support), IBM Proprinter, Line Print	PRESCRIBE, PCL6 (PCL XL, PCL5c), KPDL3 (PS3), XPS, PDF, XPS, TIFF, JPEG	PRESCRIBE, PCL6 (PCL XL, 5e), KPDL3 (PS3)
CONNECTIVITY / INTERFACE(s)	10/100/1000BaseTX, 1 High-Speed USB 2.0, 2 High-Speed USB 2.0 Host, 1 Expansion Slot	Standard 10/100/1000BaseTX Network Interface, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, 4 USB Host Interfaces
STANDARD PAPER SOURCE	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 2, 100 Sheet MPT
MAXIMUM PAPER	2,600	1,600	4,100
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PT-320 (Face Up 250 Sheets) Card Authentication Kit (B) UG-35 HD-6 / HD-7 HD-14 IB-36 Wireless LAN IB-51 Wireless Lan IB-50 Dual Gigabit NIC	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, Card Authentication B, Card Reader Holder B, Fax System 13	PF-791 500 x 2 Sheet Drawer PF-810 1,500 Sheet x 2 DF-7120 Finisher, DF-791 Finisher Fax System 12 MT-730 Multi-Bin Mailbox AK-740 Bridge Unit IB-51 Wireless NIC IB-50 Gigabit NIC
TONER YIELD – 5%	25,000 Prints (TK-3192) 40,000 Prints (TK-3202 High Capacity Toner)	15,000 Prints (TK-6117)	20,000 Prints (TK-3212i)
MAINTENANCE KIT CYCLE	500,000 Prints	300,000 Prints	600,000 Prints
SIZE AND WEIGHT	19" x 22" x 29.2" – 80.5 lbs.	23.2" x 23.2" x 27.1" - 108 lbs.	23.39" X 27.41" X 26.77" – 130.1 lbs.
WARRANTY	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only



MODEL	ECOSYS M5521cdw	ECOSYS M5526cdw	ECOSYS M6630cidn
FUNCTION	Print / Copy / Scan / Fax	Print / Copy / Scan/ Fax	Print / Copy / Scan / Fax
PRINT SPEED	22/22 Letter, 18/18 Legal	27/37 Letter, 22/22 Legal	32/32 Letter, 26/26 Legal
RESOLUTION	Fine 1200 Mode, 600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi
FIRST PAGE OUT SPEED	Black / Color Copy – 11/12.5 sec. Black / Color Print – 10/12 sec.	Black / Color Copy – 8/10 sec. Black / Color Print – 9.5/10.5 sec.	Black / Color Copy – 7.5/9 sec. Black / Color Print – 6.5/7.5 sec.
MAX MONTHLY DUTY CYCLE	65,000 pages	65,000 pages	100,000 pages
STANDARD / MAX MEMORY	1512 MB / 1.5 GB Max	1512 MB / 1.5 GB Max	1 GB / 3 GB Max
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL 5C, PCL XL), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL5c/PCLXL), KPDL3, XPS, Apple Airprint
CONNECTIVITY / INTERFACE(s)	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface x2	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface	Standard: 10/100BaseTX/1000BaseT, Hi-Speed USB 2.0
STANDARD PAPER SOURCE	250 x 1, 50 Sheet MPT	250 x 1, 50 Sheet MPT	250 x 1, 100 Sheet MPT
MAXIMUM PAPER	550	550	1,850
DUPLEX	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-5110 Paper Tray SD Card for HyPAS applications Security: Card Authentication Kit (B) Print Management: ThinPrint (UG-33)	PF-5110 Paper Tray SD Card for HyPAS applications Security: Card Authentication Kit (B) Print Management: ThinPrint (UG-33)	PF-5100 Paper Tray SD Card for HyPAS applications Security: Card Authentication Kit (B) Print Management: ThinPrint (UG-33)
TONER YIELD – 5%	Black – 1,200 Prints (TK5232k) Colors – 1,200 Prints (TK5232CMY)	Black - 4,000 Prints (TK5242K) Colors – 3,000 Prints (TK5242CMY)	Black – 8,000 Prints (TK5272K) Colors – 6,000 Prints (TK5272CMY)
MAINTENANCE KIT CYCLE	100,000 Prints	100,000 Prints	200,000 Prints
SIZE AND WEIGHT	16.4" x 16.9" x 19.5" / 57.3 lbs.	16.4" x 16.9" x 19.5" – 57.3 lbs.	18.7" x 22" x 24.3" / 105.8 lbs.
WARRANTY	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only



MODEL	ECOSYS M6235cidn	ECOSYS M6635cidn	ECOSYS M8124cidn	ECOSYS M8130cidn
FUNCTION	Print / Copy / Scan	Print / Copy / Scan / Fax	Print / Copy / Scan	Print / Copy / Scan
PRINT SPEED	37/37 Letter, 30/30 Legal	37/37 Letter, 30/30 Legal	24/24 Letter, 10/9 Legal	30/30 Letter, 15/15 Legal
RESOLUTION	Fine 1200 Mode, 600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
FIRST PAGE OUT SPEED	Black / Color Copy – 7.5/8.5 sec. Black / Color Print – 6/7.5 sec.	Black / Color Copy – 7.5/8.5 sec. Black / Color Print – 6/7.5 sec.	Black / Color Copy – 11.7/13.6 sec. Black / Color Print – 11/14 sec.	Black / Color Copy – 6.5/8.3 sec. Black / Color Print – 6.5/8.3 sec.
MAX MONTHLY DUTY CYCLE	100,000 pages	100,000 pages	100,000 pages	100,000 pages
STANDARD / MAX MEMORY	1 GB / 3 GB Max	1 GB / 3 GB Max	1.5 GB / 3 GB Max	1.5 GB / 3 GB Max
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCL 5C, PCL XL), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL5c/PCLXL), KPDL3, XPS	PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS, PDF	PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS, PDF
CONNECTIVITY / INTERFACE(s)	Standard 10/100/1000BaseTX, High Speed USB v2.0, USB Host Interface x2	Standard: 10/100BaseTX/1000BaseT, Hi-Speed USB 2.0	Standard 10/100/1000 BaseTX High Speed USB 2.0, Wireless LAN	Standard 10/100/1000 BaseTX High Speed USB 2.0, Wireless LAN
STANDARD PAPER SOURCE	250 x 1, 100 Sheet MPT	250 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT
MAXIMUM PAPER	1,850	1,850	1,600	1,600
DUPLEX	Standard	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-5100 Paper Drawer (max 3), HD-6 32 GB SSD Hard Drive, HD-7 128GB SSD Hard Drive, Data Security Kit (E), Card Authentication Kit (B), SD Card for HyPAS applications, MS-5100 Manual Stapler IB-51 Wireless NIC IB-50 Gigabit NIC	PF-5100 Paper Drawer (max 3), HD-6 32 GB SSD Hard Drive, HD-7 128GB SSD Hard Drive, Data Security Kit (E), Card Authentication Kit (B), SD Card for HyPAS applications, MS-5100 Manual Stapler IB-51 Wireless NIC IB-50 Gigabit NIC	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, card authentication B, Card Reader Holder B, Fax System 13, CF card for HyPAS applications	PF-471 500 x 2 Sheet Drawer PF-470 500 Sheet + Cabinet Drawer DF- 470 Document Finisher AK-470 Bridge Unit, IB-50 GB NIC, card authentication B, Card Reader Holder B, Fax System 13, CF card for HyPAS applications
TONER YIELD – 5%	Black – 13,000 Prints (TK5282K) Colors – 11,000 Prints (TK5282CMY)	Black – 13,000 Prints (TK5282K) Colors – 11,000 Prints (TK5282CMY)	Black - 12,000 Prints (TK8117K) Colors – 6,000 Prints (TK8117CMY)	Black - 12,000 Prints (TK899K) Colors – 6,000 Prints (TK899CMY)
MAINTENANCE KIT CYCLE	200,000 Prints	200,000 Prints	200,000 Prints	200,000 Prints
SIZE AND WEIGHT	18.9" x 22.7" x 24.4" - 108 lbs.	18.9" x 22.7" x 24.4" - 108 lbs.	23.2" x 23.2" x 29.6" – 167.6 lbs.	23.2" x 23.2" x 29.6" – 174.2 lbs.
WARRANTY	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only



MODEL	TA 307ci	TA 356ci	CS 406ci	CS 2553ci
FUNCTION	Print / Copy / Scan	Print / Copy / Scan	Print / Copy / Scan	Print / Copy / Scan
PRINT SPEED	32/32 Letter, 26/26 Legal	37/37 Letter, 30/30 Legal	42/42 Letter, 34/34 Legal	25/25 Letter, 15/15 Legal
RESOLUTION	600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi	Fine 1200 Mode, 600 x 600 dpi
FIRST PAGE OUT SPEED	Black / Color Copy – 6.4/7.8 sec. Black / Color Print – 7/8 sec.	Black / Color Copy – 5.9/7.3 sec. Black / Color Print – 5.5/6.5sec.	Black / Color Copy – 5.8/6.9 sec. Black / Color Print – 5.4/6.4 sec.	Black / Color Copy – 6.4/8.5 sec. Black / Color Print – 7.0/9.2 sec.
MAX MONTHLY DUTY CYCLE	100,000 pages	100,000 pages	150,000 pages	100,000 pages
STANDARD / MAX MEMORY	1 GB / 2 GB Max	2 GB	2 GB	4 GB
PDL / EMULATIONS	PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS, OPEN XPS, Apple Airprint	PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL 5C, PCL XL), KPDL3 (PS3), XPS, Apple Airprint	PRESCRIBE, PCL6 (PCL 5C, PCL XL), KPDL3 (PS3), XPS, OpenXPS, Apple Airprint
CONNECTIVITY / INTERFACE(s)	Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansions Slots, Optional IB51 Wireless	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface x2	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0, USB Host Interface	Standard 10/100/1000BaseTX, IEEE 802.11b/g/n Wireless, High Speed USB v2.0
STANDARD PAPER SOURCE	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 1, 100 Sheet MPT	500 x 2, 150 Sheet MPT
MAXIMUM PAPER	3,100	3,100	3,100	7,150
DUPLEX	Standard	Standard	Standard	Standard
ADDITIONAL OPTIONS	PF-5120 Paper Tray PF-5130 Paper Tray PF-5140 Paper Tray DF- 5100 Internal Finisher, Multi-Bin Mailbox MT-5100, Bridge Unit Attachment Kit (AK-5100), Job Separator2 (JS-5100), Fax System 11 Internet Fax Kit (A), Card Authentication Kit (B), ThinPrint (UG-33), Document Tray (DT-5100), Card Reader Holder (F), SD Card IB-51 Wireless NIC IB-50 Gigabit NIC	PF-5120 Paper Tray PF-5130 Paper Tray PF-5140 Paper Tray DF- 5100 Internal Finisher, Multi-Bin Mailbox MT-5100, Bridge Unit Attachment Kit (AK-5100), Job Separator2 (JS-5100), Fax System 10 Internet Fax Kit (A), Card Authentication Kit (B), ThinPrint (UG-33), Document Tray (DT-5100), Card Reader Holder (F), SD Card IB-51 Wireless NIC IB-50 Gigabit NIC	PF-5120 Paper Tray PF-5130 Paper Tray PF-5140 Paper Tray DF- 5100 Internal Finisher, Multi-Bin Mailbox MT-5100, Bridge Unit Attachment Kit (AK-5100), Job Separator2 (JS-5100), Fax System 10 Internet Fax Kit (A), Card Authentication Kit (B), ThinPrint (UG-33), Document Tray (DT-5100), Card Reader Holder (F), SD Card IB-51 Wireless NIC IB-50 Gigabit NIC	PF-7100 Paper Tray PF-7110 Paper Tray PF-7120 Paper Tray DF- 7100 Internal Finisher DF- 7110 4,000 Sheet Finisher DF- 7120 1,000 Sheet Finisher Multi-Bin Mailbox MT-730, Bridge Unit Attachment Kit (AK-7100), Fax System 12 Internet Fax Kit (A), Card Authentication Kit (B), ThinPrint (UG-33), Document Tray (DT-7100), Data Security Kit (e), Scan Extension Kit (A) IB-51 Wireless NIC IB-50 Gigabit NIC
TONER YIELD – 5%	Black – 15,000 Prints (TK-5197K) Color – 7,000 Prints (TK-5197CMY)	Black – 18,000 Prints (TK5207K) Colors – 12,000 Prints (TK5207CMY)	Black - 20,000 Prints (TK5219K) Colors – 15,000 Prints (TK5219CMY)	Black - 20,000 Prints (TK8349K) Colors – 12,000 Prints (TK8349CMY)
MAINTENANCE KIT CYCLE	200,000 Prints	200,000 Prints	300,000 Prints	200,000 Prints
SIZE AND WEIGHT	21.65" x 19.96" x 29" / 109.3 lbs.	21.65" x 19.96" x 24.13" / 101.41 lbs.	21.65" x 19.96" x 24.13" / 101.41 lbs.	23.70" x 26.2" x 31.1" / 198.4 lbs.
WARRANTY	3 Years Parts Only	3 Year Parts Only	3 Year Parts Only	3 Year Parts Only